Financial Bid

- 1. Name of Work Electrification Work of Air Conditioners in BAMETI, Patna
- 2. Cost of Quotation: Rs. 2500/- (Two thousand Five Hundred) only
- 3. Earnest Money: Rs. 24,000/- (Twenty Four Thousand) only
- 4. Last Date of Submission of Quotations: ----- upto 12.00 PM

SI.	Item of Work	Qnty.	Unit	Rate	Amount
No.				₹	₹
1	2	3	4	5	6

1 Wiring for light point/ fan point Group B

Wiring for light point / fan point / exhaust fan point / call bell point with 1.5 sq. mm FR PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with piano type switch, phenolic laminated sheet, suitable size M.S. / PVC / G.I. box etc. as required. **Group B** all complete job as per approved design / drawings, technical specifications and relevant clauses of **B.E.B.**

Particulars Nos. For Rooms 40

40.0 Point Per Point

Wiring for light point / fan point Group C

Wiring for light point / fan point / exhaust fan point / call bell point with 1.5 sq. mm FR PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with piano type switch, phenolic laminated sheet, suitable size M.S. / PVC / G.I. box etc. as required. **Group C** all complete job as per approved design / drawings, technical specifications and relevant clauses of **B.E.B.**

Particulars Nos.

For Rooms 40 40.0 Point Per Point

3 Wiring for circuit / submain wiring along with earth wire

Wiring for circuit / submain wiring along with earth wire with the following size PVC insulated copper conductor single core cable in surface / recessed PVC conduit as required, all complete job as per approved design / drawings, technical specifications and relevant clauses of B.E.B. specification and direction of Engineer-in-charge.

Particulars	Nos.			
2×1.5 sq. mm + 1×1.5 sq. mm earth wire for	40 ×	26.0 M =	1,040.0 M	Per M
2 × 4 sq. mm + 1 × 4 sq. mm earth wire for Light	40 ×	32.0 M =	1,280.0 M	Per M
2 × 6 sq. mm + 1 × 6 sq. mm earth wire for Light	40 ×	45.0 M =	1,800.0 M	Per M
2 × 10 sq. mm + 1 × 10 sq. mm earth wire for	40 ×	20.0 M =	800.0 M	Per M

4 Supplying and fixing following way, horizontal type three pole & neutral, sheet steel, MCB distribution board

Supplying and fixing following way, horizontal type three pole & neutral, sheet steel, MCB distribution board, 415 volts, on surface / recess, complete wiyh tinned copper bus-bar, neutral bus-bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required, all complete job as per approved design / drawings, technical specifications and relevant clauses of **B.E.B.** specification

Particulars Nos.

4 way (4+12), double dc 12 12 Nos. Each

Supplying and fixing following rating, 240 / 415 volts, " C " curve, miniature circuit breaker

Supplying and fixing following rating, 240 / 415 volts, " C " curve, miniature circuit breaker suitable for Inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required, all complete job as per approved design / drawings, technical specifications and relevant clauses

40 Nos. Each

40 amps. Double Pole 40

Supplying and fixing following rating, four pole, 415 volts, insolator

Supplying and fixing following rating, four pole, 415 volts, insolator in the existing MCB DB complete with connections, testing and commissioning etc. as required, all complete job as per approved design / drawings, technical specifications and relevant clauses of B.E.B. specification and direction of Engineer-in-charge.

80 / 100 amps, 4 pole capacity 12

12 Nos. Each

7 Providing and fixing 100 amps, 4 pole capacity OFF-Load changeover switches

Providing and fixing following capacity double pole / four pole OFF-Load changeover switches with side handle operation, in sheet enclosure in existing metal board including drilling holes in metal panel, making connections, earthing the body etc, as required. all complete job as per approved design / drawings, technical specifications and relevant clauses of B.E.B. specification and

200 amps, 4 pole capacity 3

3 Nos. Each

8 Supplying and fixing metal / PVC box

Supplying and fixing metal / PVC box of following size (Nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in front including painting etc, as required. all complete job as per approved design / drawings, technical specifications and relevant clauses of B.E.B. specification and direction of Engineer-in-charge.

150 mm × 150 mm × 60 mm deep. 40 40 Nos. Each 200 mm × 300 mm × 60 mm deep. 40 40 Nos. Each

9 Cutting holes up to 15×15 cm in R.C.C. floors and roofs

Cutting holes up to 15×15 cm in R.C.C. floors and roofs for passing drain pipe etc. and repairing the hole after insertion of drain pipe etc. with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including finishing complete so as to make it leak proof. all complete job as per approved design / drawings, technical specifications and relevant clauses of building specification and direction of Engineer-in-charge.

18 Nos. Each

10 Making chases up to 7.5×7.5 cm in walls

Making chases up to 7.5×7.5 cm in walls including making good and finishing with matching surface after housing G.I. pipe etc. all complete job as per approved design / drawings, technical specifications and relevant clauses of building specification and

1× 20× 25' 0" = 500.00 Rft 1× 40× 10' 0" = 400.00 Rft 900.00 Rft 274.390 M Per M

11 Making hole up to 20×20 cm

@ 3.28 Rft / M

Making hole up to 20×20 cm and embedding pipes up to 150 mm diameter in masonry and filling with cement concrete 1:3:6 (1 cement : 3 coarse sand 6 graded stone aggregate 20 mm nominal size) including disposal of malba. all complete job as per approved design / drawings, technical specifications and relevant clauses of building specification and directions of Engineer-in-charge.

80 Nos. Each

12 Repairs to plaster With cement mortar 1:4

Repairs to plaster With cement mortar 1:4 (1 cement : 4 coarse sand) of thickness 12 mm to 20 mm in patches of area 2.5 sqm and under including cutting the patch in proper shape and preparing and plastering the surface of the walls complete including disposal of rubbish to the dumping ground within 50 metres lead. all complete job as per approved design / drawings, technical specifications and relevant clauses of building specification and direction of Engineer-in-

Total Amount (In Figures)

(In Words)

Signature of the Quotationer

Name of the Person Submitting the Quotation -

Name of the Firm-

Address -

Mobile No.

Date -

Director BAMETI, Bihar, Patna